



LightShark

Designing The Future Of Lighting Control

Create your Lighting shows
easily and quickly



Official South African Distributor: www.Stage-One.co.za





LS1 LIGHTING CONTROLLER

Total Control for your Shows

A control surface with all the power of the LIGHTSHARK engine in compact hardware with the main functions of the most powerful lighting desks.

- Up to 5 Control Screens
- Strong Aluminium Frame
- 10 Faders + Master
- 4.5" TFT Color Screen
- 4 Encoders

Connections

LS1 Console comes with A full set of hardware connections suitable for DMX512, Ethernet, USB Data & Power and WiFi.



- 1) Kensington security slot
- 2) Lamp Port
- 3) DMX Outputs
- 4) LAN Port
- 5) USB Data Port
- 6) USB Power Output
- 7) WiFi Antenna
- 8) AC Input

BUY NOW



LSWING FOR LS1

Three solutions in one

Expand the control surface of the LS1 console with LS WING.

Use LS WING as expansion for other Lighting Consoles via MIDI protocol.

Manage other devices such as media servers, sound consoles, over ethernet via OSC & UDP, or MIDI.

Connections

LS WING include a set of hardware connections suitable for DMX512, Ethernet, USB Data & Power.



1. Lamp Port
2. ArtNet / sACN Node
3. Internal LAN Switch
4. USB hub
5. USB Power Output
6. AC Input

[BUY NOW](#)

LS NODES

Small in Size, big in functionality.
Much more than a Node.



LS NODE 1
DMX512 XLR5
Input / Output



LS NODE 2
DMX512 XLR5
2x Input / 2x Output



LS NODE 4
DMX512 XLR5
4x Outputs

LS NODES is the perfect tool for
lighting signal distribution.

MAIN FEATURES:


¼ Rack 19” Format:

The LS NODES has been designed to be mounted in 19” racks using the LS AR1 accessory which accommodates both LS CORE and LS NODE, up to 4 fixtures.

More than a NODE: Highest versatility in a multi-function device developed to be a key element in any signal distribution design.

Secure Power Supply:

Dual power supply via USB-C and PoE works as a safety feature to secure the system connection in case of accidental shutdown.



[BUY NOW](#)

LS CORE 8

You only need a
web browser to
control
everything



LS CORE goes anywhere with you

LS CORE Console allows you to manage and control 8 DMX512 Universes in a small and compact device with the software, features and functionality of a complete LX console.

Ideal for AV integration, LX installation and architectonic lighting applications.

MAIN FEATURES:

- Ultraportable
- ¼ Rack 19” Format
- LCD Display



Connections

- 1) USB Host Port
- 2) WiFi Antenna
- 3) DMX512 Outputs
- 4) ArtNet / sACN Node
- 5) DC Input

[BUY NOW](#)



LightShark

INTRODUCTION



CONTACT OUR SALES TEAM NOW

Clinton

clinton@stage-one.co.za
011 805 9910 - ext 1226
082 382 5009

Dylan

dylan@stage-one.co.za
011 805 9910 - ext 1220
061 602 0838

Rishaad (Sales Manager)

rishaad@stage-one.co.za
011 805 9910 - ext 1230
072 184 9811

Bob (External Sales)

bob@stage-one.co.za
011 805 9910 - ext 1229
072 217 3333

Zancha (External Sales)

zancha@stage-one.co.za
011 805 9910 - ext 1238
083 271 5726

Official South African Distributor: www.Stage-One.co.za